



Industrial AIR

Panasonic

PANASONIC PIPE SIZE		WALL MOUNT UNITS									
Modified 16/12/2010											
Model:	Pipe Size:	Min Pipe Length	Max Pipe Length	Max Elevation	Pre-Charged Pipe Legth	Additional Refrigerant	Circuit Breaker Size	Power Supply Chord	Indoor to Outdoor Cable	Indoor to Outdoor Wiring	Full Load Amps
Deluxe Reverse Cycle Hi-Wall Split Inverter: (R410A)	L/G	Metre	Metre	Metre	Metre	gms/m		mm ²	mm ²		
CS/CU-E9LKR	1/4" & 3/8"	3	15	15	7.5	20	16 A	1.5	1.5	3 + E	6
CS/CU-E12LKR	1/4" & 1/2"	3	15	15	7.5	20	16 A	1.5	1.5	3 + E	7.8
CS/CU-E15LKR	1/4" & 1/2"	3	15	15	7.5	20	16 A	1.5	1.5	3 + E	10.2
CS/CU-E18LKR	1/4" & 1/2"	3	20	15	5	20	16 A	2.5	1.5	3 + E	11.9
CS/CU-E21LKR	1/4" & 1/2"	3	20	15	5	20	16 A	2.5	1.5	3 + E	12.2
CS/CU-E24LKR	1/4" & 5/8"	3	30	20	5	30	20 A	2.5	1.5	3 + E	14.6
CS/CU-E28LKR	1/4" & 5/8"	3	30	20	5	30	25 A	4	1.5	3 + E	15.9
Deluxe Cooling Only Hi-Wall Split Inverter (R410A)	L/G										
CS/CU-S9LKR	1/4" & 3/8"	3	15	15	7.5	15	16 A	1.5	1.5	3 + E	5.7
CS/CU-S12LKR	1/4" & 1/2"	3	15	15	7.5	15	16 A	1.5	1.5	3 + E	7.5
CS/CU-S24LKR	1/4" & 5/8"	3	20	20	5	30	20 A	2.5	1.5	3 + E	14.4
CS/CU-S28LKR	1/4" & 5/8"	3	20	20	5	30	25 A	4	1.5	3 + E	14.6
Standard Reverse Cycle Hi-Wall Split Inverter (R410A)	L/G										
CS/CU-RE9LKR	1/4" & 3/8"	3	15	5	7	20	16 A	1	1.5	3 + E	6
CS/CU-RE12LKR	1/4" & 3/8"	3	15	5	7	20	16 A	1	1.5	3 + E	6.8
CS/CU-RE18LKR	1/4" & 1/2"	3	20	15	5	20	20A	5.5	1.5	3+E	11.9
CS/CU-RE24LKR	1/4" & 5/8"	3	30	20	5	30	20 A	2.5	1.5	3 + E	14.6
CS/CU-RE28LKR	1/4" & 5/8"	3	30	20	5	30	25 A	4	1.5	3 + E	15.9